## **Seagrass**

Beatty, L.L., B.L. Nowicki, and A.A. keller. 1991. Development of a protocol for the inventory and long-term monitoring of submerged marine-estuarine resources at Cape Cod National Seashore. National Park Service Coastal Research Center. University of Rhode island. Narragansett, Rhode Island.

Buchsbaum, R. 1987. The geese and the grass. Sanctuaries 27:7-9.

Burdick, D.M. and F.T. Short. 1995. The effects of boat docks on eelgrass beds in Massachusetts coastal waters. Final Report, Massachusetts Coastal Zone Management, Boston, Massachusetts. 32 pp.

Chandler, M., P. Colarusso, and R. Buchsbaum. 1996. A study of eelgrass beds in Boston Harbor and northern Massachusetts Bays. Project report submitted to Office of Research and Development, US EPA, Narragansett, Rhode Island 02882.

Davis, R.C. and F.T. Short. 1997. Restoring eelgrass, *Zostera marina* L., habitat using a new transplanting technique: The horizontal rhizome method. Aquatic Botany. Vol. 59 pp 1-15.

Dennison, W.C. 1987. Effects of light on seagrass photosynthesis, growth and depth distribution. Aquat. Bot. 27:15-26.

Dennison, W.C., R.J. Orth, K.A. Moore, J.C. Stevenson, V. Carter, S. Kollar, P.W. Bergstrom, and R.A. Batiuk. 1993. Assessing water quality with submersed aquatic vegetation. BioScience 43:86-94.

Derrenbacker and Lewis (1981). Seagrass habitat restoration, Lake Surprise, Florida keys. Unpublished report. Mangrove Systems, Inc. Tampa, Florida.

Dexter, R.W. 1944. Ecological significance of the disappearance of eelgrass at Cape Ann, Massachusetts. J. Wildl. Manage. 8:173-176.

Ferguson, R.L., L.L. Wood, and D.B. Graham. 1993. Monitoring spatial change in seagrass habitat with aerial photography. Photogrammetric Engineering and Remote Sensing 59:1033-1038.

Fonseca, M.S. 1989. Regional analysis of the creation and restoration of seagrass systems. In: Wetland Creation and Restoration: The Status of the Science. Vol. I. Regional Reviews. EPA 600/3-89/038a. J.A. Kusler and M.E. Kentula, eds. 175-198. Corvallis, OR: EPA Environmental Research Laboratory.

Fonseca, M.S., and J.A. Cahalan. 1992. A preliminary evaluation of wave attenuation by four species of seagrass. Estuarine, Coastal and Shelf Science 35: 565-576.

Fonseca, M.S., W.J. Kenworthy and G.W. Thayer. 1988. Restoration and management of seagrass systems: A review, p.353-368. In D.D. Hook, et al. (eds.), The ecology and management of wetlands. Vol. 2, Management use and value of wetlands. Timber Press,

Portland, Oregon.

Fonseca, M.S., W.J. Kenworthy, D.R. Colby, K.A. Rittmaster and G.W. Thayer. 1990. Comparisons of fauna among natural and transplanted eelgrass Zostera marina meadows: criteria for mitigation. Mar. Ecol. Prog. Ser. 65:251-264.

Heck, K.L. Jr., K.W. Able, M.P. Fahay, and C.T. Roman. 1989. Fishes and decopod crustaceans of Cape Cod eelgrass meadows: species composition, seasonal abundance patterns and comparison with unvegetated substrates. Estuaries 12:59-65.

Lewis, R.R. 1987. The restoration and creation of seagrass meadows in the southeast United States, Fla. Mar. Res. Publ. 42:153-174.

Kenworthy, W.J., G.W. Thayer, and M.S. Fonseca. 1988. The utilization of seagrass meadows by fishery organisms. In The ecology and management of wetlands, Vol. I, Ecology of Wetlands, D.D. Hook et al. (eds.), Timber Press, Oregon, 548-560p.

Kurland, J.M. 1993. Seagrass habitat conservation: An increasing challenge for coastal resource management in the Gulf of Maine. National Fisheries Service, Habitat and Protected Resources Division, Gloucester, Massachusetts.

Mann, K.H. 1988. Production and use of detritus in various freshwater, estuarine, and coastal marine ecosystems. Limnol. Oceanogr. 33:910-930.

Muehlstein, L.K., D. Porter, and F.T. Short. 1991. Labyrinthula zosterae sp. nov., the causative agent of wasting disease of eelgrass, Zostera marina. Mycologia 83:180-191.

Orth, R.J. 1992. A perspective on plant-animal interactions in seagrasses: physical and biological determinants influencing plant and animal abundance. In Plant-animal interactions in the marine benthos, D.M. John, S.J. Hawkins, and J.H. Price (eds.), Systematics Association Special Volume No. 46, Clarendon Press, Oxford, pp. 147-164.

Orth, R.J., K.L. Heck Jr., and J. Montfrans. 1984. Faunal communities in seagrass beds: a review of the influence of plant structure and prey characteristics on predator -prey relationships. Estuaries 7:339-350.

Short, F.T., and C.A. Short. 1984. The seagrass filter: Purification of estuarine and coastal waters. In the Estuary as a filter, V.S. Kennedy [ed.], Academic press, pp.395-413.

Short, F.T., A.C. Mathieson, and J.I. Nelson. 1986. Recurrence of an eelgrass wasting disease on the border of New Hampshire and Maine. Mar. Ecol. Prog. Ser. 29:89-92.

Short, F.T., G.E. Jones, and D.M. Burdick. 1991. Seagrass decline: problems and solutions. Coastal Wetlands, Coastal Zone '91 Conference - ASCE, Long Beach, CA, pp. 439-453.

Short, F.T. 1993. The Port of New Hampshire interim mitigation success assessment report. Unpublished technical report. Jackson Estuarine Laboratory. University of New Hampshire. Durham, New Hampshire.

- Short, F.T., D.M. Burdick, J. Wolf, and G.E. Jones. 1993. Eelgrass in estuarine research reserves along the east coast, USA, Part I: Declines from pollution and disease and Part II: Management of eelgrass meadows. NOAA Coastal Ocean Program Publ. 107 p. Short, F.T. and D.M. Burdick. 1996. Quantifying Eelgrass habitat loss in relation to housing development and nitrogen loading in Waquoit Bay, Massachusetts. Estuaries. Vol. 19, No. 3, p. 730-739.
- Short, F.T., and S. Wyllie-Echeverria. 1996. Natural and human-induced disturbance of seagrasses. Environmental Conservation. 23 (1): 17-27.
- Short, F.T., R.D. Davis, and D.Burdick. 1997. Eelgrass (Zostera marina, L.) Habitat restoration in New Bedford Harbor, Massachusetts. Proposal submitted to the New Bedford Harbor Trustee Council. University of New Hampshire, Jackson Estuarine Laboratory, Durham, New Hampshire.
- Thayer, G.W., W.J. Kenworthy and M.S. Fonseca. 1984. The ecology of seagrass meadows of the Atlantic Coast: a community profile. U.S. Fish and Wildlife Service, FWS/OBS-84/02. 147 p.
- Thayer, G.M., M.S. Fonseca and W.J. Kenworthy. 1986. Wetland mitigation and restoration in the southeast United States and two lessons from seagrass mitigation, p. 95-117. In The Estuarine management practices symposium, Baton Rouge
- Thayer, G.W., M.S. Fonseca, and J.W. Kenworthy. 1990. Seagrass transplantation: is it a viable habitat mitigation option? In Beneficial Uses of Dredged Material. Proceedings of the Gulf Coast Regional Workshop, Apreil 1988, Galveston, Texas, Lasor and Medina [eds.], Technical Report D-90-3, U.S. Army Corps of Engineers, Evironmental Effects of Dredging Programs. Pp.194-204.
- Thorhaug, A. 1987. Review of seagrass restoration efforts. Ambio. Vol. 15, No. 2:110-116.
- Tiller, K.G., Merry, R.H., Zarcinas, B.A. & Ward, T.J. 1989. Regional geochemistry of metal-contaminated surficial sediments and seagrasses in Upper Spencer Gulf, South Australia. Estuarine, Coastal and Shelf Science 28:473-93.
- Ward, L.G., W.M. Kemp, and W.R. Boyton. 1984. The influence of waves and seagrass communities on suspended particles in an estuarine embayment. Mar. Geol. 59:85-103.
- Zieman, J.C. 1976. The ecological effects of physical damage from motorboats on turtle grass beds in southern Florida. Aquat. Bot. 2:127-139.